



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

According to ISO &SANS 11014:2010

Revision Date: Aug 2020

First print date: 04/09/2007

Version: 05.0

SECTION 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

Product identifier:

Identification as on the label/Trade name: TUBBY HARDENER

Additional information: TUB2

Relevant identification uses of the substance and uses advised against:

Identified uses: Hardener for bathtub coating system, part of 2 pack system – use with Tubby Coating or Tubby Toner.

Uses advised against: Use only as directed.

Details of the supplier of the Safety Data Sheet: Mend A Bath International (Pty) Ltd
PO Box 34193, Newton Park, 6055
Port Elizabeth, South Africa
Tel.: +27 41 3978200
E-mail: information@mendabath.com

Emergency telephone numbers: +27 41 3978200 or +27 82 656 4466

Contact person: Mr A. P. Schmidt

Available outside office hours? Yes

SECTION 2. HAZARD IDENTIFICATION

Classification of the substances or mixture

The mixture is classified according to

SANS 10234:2008, Regulation EC 1272/2008 [EU-GHS/CLP]	
Hazard classes/Hazard categories	Hazard statement
Flammable liquids (Category 3)	H226
Acute toxicity oral (Category 4)	H302
Acute toxicity dermal (Category 4)	H312
Skin irritant (Category 2)	H315
Serious eye damage (Category 1)	H318
Acute toxicity inhalation (Category 4)	H332

For the full text of the H-Statements mentioned in this Section, see Section 16

Ingredients of unknown toxicity

Contains 52 % of ingredient(s) of unknown toxicity.

The most important adverse effects

The most important adverse physiochemical effects: Flammable liquid and vapour.

The most important adverse human health effects: Harmful if swallowed, in contact with skin or if inhaled. May cause serious eye damage and skin irritations.



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 2 of 10

According to ISO & SANS 11014:2010

Revision Date: Aug 2020

Label elements

Hazard pictograms:



Signal Word: DANGER

Hazard Statements: H226 Flammable liquid and vapour. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H318 Causes serious eye damage.

Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe mist/ vapours/ spray. P264 Wash thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P240 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTRE or doctor if you are concerned.

Special labelling of certain mixtures:

Other hazards: None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Ingredients:

Substance name (IUPAC)	CAS –No.	Concentration % by weight	Classification
	EC-No.		EC1272/2008
Xylene	1330-20-7	20-30	Flammable liquid (Category 3) H226. Acute toxicity dermal (Category 4) H312. Acute toxicity inhalation (Category 4) H332. Skin irritant (Category 2) H315.
	601-022-00-9		
1-Butanol	71-36-3	1-10	Flammable liquid (Category 3) H226. Acute toxicity oral (Category 4) H302. Skin irritant (Category 2) H315. Serious eye damage (Category 1) H318. STOT SE 3 H335, H336.
	200-751-6		
2-Butoxyethanol (ethylene glycol)	111-76-2	10-15	Acute toxicity oral (Category 4) H302. Acute toxicity dermal (Category 4) H312. Acute toxicity inhalation (Category 4) H332. Skin irritant (Category 2) H315. Eye irritant (Category 2) H319.
	203-905-0		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8. For the full text of the H-Statements in this Section, see Section 16.



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 3 of 10

According to ISO &SANS 11014:2010

Revision Date: Aug 2020

SECTION 4. FIRST AID MEASURES

Description of first aid measures:

In case of skin contact: Remove contaminated clothing; wash affected area immediately with soap and water for 15 minutes. In case of discomfort seek medical attention immediately.

In case of eye contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. Seek medical advice if symptoms persist.

In case of ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek medical attention if symptoms persist.

Most important symptoms and effects, both acute and delayed:

Inhalation: May cause some respiratory irritation.

Ingestions: Harmful if swallowed.

Skin contact: Harmful in contact with skin may cause irritation.

Eye contact: Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

SECTION 5. FIRE -FIGHTING MEASURE

Extinguisher media:

Suitable extinguisher media: Use an extinguishing agent suitable for the surrounding fire: use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: Water jets or high-pressure water jets.

Special hazards arising from the mixture:

Carbon oxides. Nature of decomposition products not known for the mixture.

Advice for fire-fighters:

Evacuate area, wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

SECTION 6. ACCIDENTAL RELEASE

Personal precautions, protective equipment and emergency procedures:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

For non-emergency personnel: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Avoid inhalation, and contact with skin or eyes.

For emergency responders: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Avoid inhalation, and contact with skin. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 4 of 10

According to ISO &SANS 11014:2010

Revision Date: Aug 2020

Environmental precautions:

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods for containment and cleaning up:

For small spills Contain spilled material if possible. Collect in suitable and properly labelled containers. Absorb with materials such as: sand, earth, vermiculite or diatomaceous earth.

For large spills: Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in well labelled container for disposal according to local regulations.

Reference to other sections:

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for information on disposal.

Additional information:

None known.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Use adequate protective equipment to avoid direct contact of product. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing.

Protective measures: Observe directions on label and instructions for use.

Advice on general occupational hygiene: Do not eat drink or smoke when handling this product.

Conditions for safe storage, including incompatibilities:

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end uses:

Use as directed. Use original container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Occupational exposure limits (OEL):

1-Butanol, STEL OEL-RL 50 ppm, 150 mg/m³- Skin absorption



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 5 of 10

According to ISO &SANS 11014:2010

Revision Date: Aug 2020

Ethylene glycol particulate vapour: TWA OEL-RL 10mg/m³

Xylene, TWA OEL-RL 100 ppm, 435 mg/m³, STEL OEL-RL 150 ppm, 650 mg/m³- Skin absorption

Biological exposure indices (BEI):

Xylene, methylhippuric acid in urine, 1.5 g/g creatine end of shift, 2mg/min last four hours of shift.

Additional exposure limits under the conditions of use: None Known.

Exposure control:

Appropriate engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Use safety glasses (with side shields). If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles. If exposure causes eye discomfort, use a full-face respirator.

Hand protection: Use chemical resistant gloves. Examples of preferred glove barrier materials include: Butyl rubber, Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, Polyvinyl alcohol, Polyvinyl chloride

Body protection: Wear overalls or protective suit.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator

Environmental exposure controls: Prevent product from entry into sewers and water courses.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (form): Viscous liquid.

Colour: Not known.

Odour: Pungent

Odour threshold: Not tested.

pH (at concentration): Not tested.

Melting point/range (°C): Not tested.

Boiling point/range (°C): Not tested.

Flash point (°C): ≥ 23 °C- ≤60 °C (estimated value based on ingredients).



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 6 of 10

According to ISO & SANS 11014:2010

Revision Date: Aug 2020

Evaporation rate: Not tested.

Flammability (solid, gas, liquid): Flammable liquid.

Ignition temperature (°C): Not tested.

Upper/lower flammability/explosive limits: Not tested.

Vapour pressure (20°C): Not tested.

Vapour density: Not tested.

Relative density (25°C): Not tested.

Water solubility (g/l) at 20°C: Not tested.

n-Octanol/Water partition coefficient: Not tested.

Auto-ignition temperature: Not tested.

Decomposition temperature: Not tested.

Viscosity, dynamic (mPa s): F6 16/20s

Physical hazards:

Flammable liquid.

Other information:

Fat solubility (solvent-oil to be specified): Not tested.

Bulk density: Not tested.

Dissociation constant in water (p Ka): Not tested.

Oxidation-reduction potential: Not tested.

SECTION 10. STABILITY AND RELIABILITY

Reactivity:

Stable under normal conditions no reaction with fire-fighting water.

Chemical stability:

Thermally stable at recommended temperatures and pressures.

Possibility of hazardous reactions:

Polymerization will not occur.

Conditions to avoid:



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 7 of 10

According to ISO & SANS 11014:2010

Revision Date: Aug 2020

Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible materials:

Avoid contact with acids, alkalis and hydrocarbon solvents.

Hazardous decomposition products:

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: aldehydes, alcohols and ethers.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxic kinetics, metabolism and distribution:

Non-human toxicological data: No data available.

Method: No data available

Dosage: No data available

Routes of administration: No data available.

Results: No data available

Absorption: No data available

Distribution: No data available

Metabolism: No data available

Excretion: No data available

Information on toxicological effects:

Acute toxicity:

Tubby hardener

Oral LD₅₀ for rat 1513,4 mg/kg (calculated).

Dermal LD₅₀ for rabbit 1340,7mg/kg (calculated).

Inhalation LC₅₀ (4 h) for rat 13.40 mg/l (calculated).

Skin corrosion/irritation: No data available.

Eye damage/eye irritation: No data available.

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Xylene).



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 8 of 10

According to ISO & SANS 11014:2010

Revision Date: Aug 2020

Reproductive toxicity: No data available.

STOT-single exposure: No data available.

STOT-repeated exposure: No data available.

Aspiration hazard: No data available.

Additional information:

SECTION 12. ECOLOGICAL INFORMATION

Toxicity:

1 butanol

Fish: LC₅₀ (96 h) for *Pimephales promelas* (Fathead minnow) 1840 mg/l.

2 butoxyethanol

Fish: LD₅₀ (24 h) for fish 220 mg/l

Toxicity to daphnia and other aquatic invertebrates: EC₅₀ (24 h) for *Daphnia magna* (Water flea) 1815 mg/l.

Persistence and degradability:

No data available.

Bioaccumulative potential:

No data available.

Mobility in soil

No data available.

Results of PBT& vPvB assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects:

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Treat as hazardous waste and dispose of in accordance with municipal, provincial and national regulations.

Product/ packaging disposal:

Exercise caution in disposal of used containers. Treat as hazardous waste and dispose of in accordance with municipal, provincial and national regulations.



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 9 of 10

According to ISO & SANS 11014:2010

Revision Date: Aug 2020

SECTION 14. TRANSPORT INFORMATION

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	1263	1263	1263
UN Proper shipping name:	PAINT	PAINT	PAINT
Transport hazard class:	3	3	3
Packaging group:	III	III	III
Marine pollutant:	No	No	No
Special precautions for user:	None	None	None
Transport in bulk according to MARPOL 73/78 Annex II and the IBC code	Not known	Not known	Not known

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture:

Relevant information regarding authorization: Occupational Health and Safety Act 1993 Regulation for Hazardous Chemical Substances.

ACGIH: American Conference of Governmental Industrial Hygienists (ACGIH)

Relevant information regarding restrictions: None known.

EU regulations: Regulation EC 1272/2008 [EU-GHS/CLP] and EU directives 67/548/EEC or EC 1999/45/EC

Other National regulations: National Road Traffic Act, 1996 (ACT NO. 93 of 1996). SANS 10228:2012- The identification and classification of dangerous goods for transport by road and rail modes. National Environmental Management: Waste Act 59 of 2008.

Chemical Safety Assessment carried out? No

SECTION 16. OTHER INFORMATION

Indication of changes:

GHS aligned and rechecked.

Relevant classification and H statements (number and full text):

STOT SE 3: Specific Target Organ Toxicity single exposure. (Category 3).

STOT RE 2 Specific Target Organ Toxicity repeated exposure (Category 2).

H226 Flammable liquid and vapour. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Cause serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure.



Safety Data Sheet (SDS) Tubby Hardener/ TUB2

Page 10 of 10

According to ISO &SANS 11014:2010

Revision Date: Aug 2020

Training instructions:

Special training not required, use as instructed.

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to readers:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.